

VALUE ASSIGNMENT FOR BIO-RAD
MASTER LOT 4223(1-3) EXP: 2020-June-30

AccuBind® ELISA	42231		42232		42233	
	Mean	Range	Mean	Range	Mean	Range
Fertility						
Ferritin in ng/ml	7.81	5.23-10.39	35.44	23.74-47.13	76.75	51.42-102.08
AFP in ng/ml	23.51	15.75-31.27	79.83	53.48-106.17	329.44	220.72-438.15
LH in mIU/ml	133.96	89.75 - 178.16	51.31	34.38 - 68.25	40.64	27.23 - 54.05
hCG in mIU/ml	1.73	1.16-2.30	18.22	12.21-24.24	17795.25	11637.98-23952.52
Testosterone in ng/ml	2.84	1.90-3.77	8.25	5.53-10.98	>10	
Progesterone in ng/ml	19.27	12.91-25.63	41.87	28.05-55.68	>60	
E2 in pg/ml	132.58	88.83-176.34	242.35	162.37-322.33	671.35	449.81-892.90

DOCUMENT HISTORY

 PREPARED BY: MSW DEPT: QC

 VERIFIED BY: A Shatola DEPT: QA

 APPROVED BY: Fred Lopez DEPT: Administration

EFFECTIVE DATE: 2017-Jun-14

REVISION: 0

DCO: N/A