

**VALUE ASSIGNMENT FOR BIO-RAD
MASTER LOT 4225(1-3) EXP: 2021-Jul-31**

AccuBind® ELISA	42251		42252		42253	
	Mean	Range	Mean	Range	Mean	Range
Fertility						
Ferritin in ng/ml	16.59	11.12 - 22.06	55.12	36.93 - 73.31	121.23	79.18 - 163.28
AFP in ng/ml	21.98	14.73 - 29.23	77.79	52.12 - 103.46	303.56	203.39 - 403.73
LH in mIU/ml	146.21	97.02 - 195.4	57.56	38.57 - 76.55	36.97	24.77 - 49.17
hCG in mIU/ml	<2	N/A	35.43	23.74 - 47.12	23400.98	15678.66 - 31123.3
Testosterone in ng/ml	0.2	0.13 - 0.27	3.46	2.32 - 4.6	7.53	5.05 - 10.01
Progesterone in ng/ml	18.32	12.28 - 24.36	37.78	25.31 - 50.25	>60	N/A
E2 in pg/ml	135.9	91.05 - 180.75	191.36	128.21 - 254.51	756.06	506.56 - 1005.56

DOCUMENT HISTORY

 PREPARED BY:  DEPT: QC

 VERIFIED BY:  DEPT: QA

 APPROVED BY:  DEPT: Administration

EFFECTIVE DATE: 2018-Mar-01

REVISION: 0

DCO: N/A