

**VALUE ASSIGNMENT FOR BIO-RAD  
MASTER LOT 4227(1-3) EXP: 2022/10/31**

AccuBind® ELISA	42271		42272		42273	
	Mean	Range	Mean	Range	Mean	Range
<b>Fertility</b>						
Ferritin in ng/ml	13.77	9.23-18.31	56.27	37.70-74.83	106.8	71.56-142.04
AFP in ng/ml	21.95	14.71-29.20	79.79	53.46-106.12	333.63	223.53-443.73
LH in mIU/ml	156.97	105.17-208.78	57.57	38.57-76.57	39.26	26.30-52.21
hCG in mIU/ml	<2		32.28	21.63-42.94	22481.18	15062.39-29889.97
Testosterone in ng/ml	0.21	0.14-0.28	2.89	1.94-3.84	7.33	4.91-9.75
Progesterone in ng/ml	20.88	13.99-27.77	40.2	26.94-53.47	>60	
E2 in pg/ml	155.73	104.34-207.12	187.99	125.95-250.03	803.88	538.6-1069.16

DOCUMENT HISTORY

PREPARED BY:                     *MSW*                     DEPT: QC  
 APPROVED BY:                     *Fred Lopez*                     DEPT: Administration  
 REVISION: 0

VERIFIED BY:                     *Ashatka*                     DEPT: QA  
 EFFECTIVE DATE: 2019-08-21  
 DCO: N/A