

**VALUE ASSIGNMENT FOR BIO-RAD  
MASTER LOT 4228(1-3) EXP: 2023/07/31**

AccuBind® ELISA	42281		42282		42283	
	Mean	Range	Mean	Range	Mean	Range
<b>Fertility</b>						
Ferritin in ng/ml	15.85	10.62-21.08	55.89	37.45-74.34	130.37	87.35-173.39
AFP in ng/ml	24.93	16.46-33.39	84.53	56.63-112.42	365.23	244.70-485.75
LH in mIU/ml	154.98	103.83-206.12	58.14	38.96-77.33	39.75	26.63-52.87
hCG in mIU/ml	<2		34.07	22.83-45.31	21602.5	14473.68-28731.33
Testosterone in ng/ml	0.21	0.14-0.28	3.76	2.52-5.01	7.53	5.05-10.02
Progesterone in ng/ml	15.8	10.59-21.02	42.37	28.39-56.35	>60	
E2 in pg/ml	205.39	137.61-273.17	198.29	132.85-263.73	1081.81	724.81-1438.81

DOCUMENT HISTORY

 PREPARED BY:                     *MSW*                     DEPT: QC

 VERIFIED BY:                     *AShatok*                     DEPT: QA

 APPROVED BY:                     *Fred Lopez*                     DEPT: Administration

EFFECTIVE DATE: 2020-06-18

REVISION: 0

DCO: N/A