

VALUE ASSIGNMENT FOR BIO-RAD						
MASTER LOT 7466(1-3)			Exp:2027-07-31			
AccuBind® ELISA	74661		74662		74663	
	Mean	Range	Mean	Range	Mean	Range
Lyphocheck Tumor Markers						
Ferritin in ng/ml	48.27	32.34-64.19	277.14	185.69-368.60	542.73	363.63-721.83
CEA in ng/ml	2.69	1.80-3.58	21.89	14.67-29.12	81.79	54.80-108.78
AFP in ng/ml	8	5.36-10.64	69.81	46.77-92.85	221.1	148.0 -294.20
PSA in ng/ml	<0.5		8.97	6.10-11.93	38.37	25.71-51.03
fPSA in ng/ml	<0.3		2.94	1.97-3.92	>10	
CA-125 in U/ml	18.89	12.66-25.13	56.48	37.84-75.12	164.17	109.99-218.34
CA-19-9 in U/ml	15.17	10.16-20.17	33.99	22.77-45.21	90.37	60.55-120.19
CEA Next Generation in ng/ml	<5		21.81	14.61-29.0	76.39	51.18-101.60
PRL in ng/ml	10.7	7.17-14.23	37.12	24.87-49.37	>100	
HCG in mIU/ml	4.24	2.84-5.64	60.5	40.54-80.47	>200	
TG in ng/ml	5.7	3.82-7.58	28.72	19.24-38.20	69.88	46.82-92.94
CA 15-3 in U/ml	30.66	20.54-40.78	56.52	37.87-75.17	127.31	85.30-169.32
HCG-XR in mIU/ml	<5		55.4	37.12-73.69	229.39	153.69-305.09
Calcitonin pg/ml	7.38	4.94-9.82	68.2	45.70-90.71	282.15	189.04-375.25
ACTH pg/ml	41.07	27.52-54.62	167.13	111.98-222.29	136.55	91.49-181.61
Aldosterone pg/ml	101.77	68.19-135.35	291.95	195.61-388.30	799.14	535.42-1062.85

DOCUMENT HISTORY			
PREPARED BY: <u>MSW</u>	DEPT: QC	VERIFIED BY: <u>Ashatola</u>	DEPT: QA
APPROVED BY: <u>Fred Lopez</u>	DEPT: Administration	EFFECTIVE DATE: 2024-07-23	
REVISION: 0		DCO: N/A	